



Forets carbure pour les matériaux non ferreux

HYP-AL-SERIES

Volume 1



POINTS CLEFS : HYP-AL-3D / HYP-ALO-5D

1 Foret carbure, sans revêtement
Avec arrosage centre (5xD)


2 Pour percer 3xD & 5xD

3 Pour le perçage des aluminiums



HYP-AL-3D

Perçage | Carbure monobloc | 3xD



- Foret carbure monobloc sans revêtement
- Jusqu'à 3xD
- Pour les aluminiums et fontes d'aluminiums
- 137 dimensions



EDP	DC	LCF	OAL	DCON
110301000	1	7	35	3
110301100	1,1	7	35	3
110301200	1,2	8	35	3
110301300	1,3	8	35	3
110301400	1,4	9	35	3
110301500	1,5	9	40	3
110301600	1,6	10	40	3
110301700	1,7	10	40	3
110301800	1,8	11	40	3
110301900	1,9	11	40	3
110302000	2	13	45	3
110302100	2,1	13	45	3
110302200	2,2	13	45	3
110302300	2,3	13	45	3
110302400	2,4	15	45	3
110302500	2,5	15	50	3
110302600	2,6	15	50	3
110302700	2,7	17	50	3
110302800	2,8	17	50	3
110302900	2,9	17	50	3
110303000	3	20	62	6
110303100	3,1	20	62	6
110303170	3,17	20	62	6
110303200	3,2	20	62	6
110303300	3,3	20	62	6
110303400	3,4	20	62	6
110303500	3,5	20	62	6
110303570	3,57	20	62	6
110303600	3,6	20	62	6
110303700	3,7	20	62	6
110303800	3,8	24	66	6
110303900	3,9	24	66	6
110303970	3,97	24	66	6
110304000	4	24	66	6
110304100	4,1	24	66	6
110304200	4,2	24	66	6
110304300	4,3	24	66	6
110304370	4,37	24	66	6
110304400	4,4	24	66	6
110304500	4,5	24	66	6
110304600	4,6	24	66	6
110304700	4,7	24	66	6
110304760	4,76	28	66	6
110304800	4,8	28	66	6
110304900	4,9	28	66	6
110305000	5	28	66	6

EDP	DC	LCF	OAL	DCON
110305100	5,1	28	66	6
110305160	5,16	28	66	6
110305200	5,2	28	66	6
110305300	5,3	28	66	6
110305400	5,4	28	66	6
110305500	5,5	28	66	6
110305560	5,56	28	66	6
110305600	5,6	28	66	6
110305700	5,7	28	66	6
110305800	5,8	28	66	6
110305900	5,9	28	66	6
110305950	5,95	28	66	6
110306000	6	28	66	6
110306100	6,1	34	79	8
110306200	6,2	34	79	8
110306300	6,3	34	79	8
110306350	6,35	34	79	8
110306400	6,4	34	79	8
110306500	6,5	34	79	8
110306600	6,6	34	79	8
110306700	6,7	34	79	8
110306750	6,75	34	79	8
110306800	6,8	34	79	8
110306900	6,9	34	79	8
110307000	7	34	79	8
110307100	7,1	41	79	8
110307140	7,14	41	79	8
110307200	7,2	41	79	8
110307300	7,3	41	79	8
110307400	7,4	41	79	8
110307500	7,5	41	79	8
110307540	7,54	41	79	8
110307600	7,6	41	79	8
110307700	7,7	41	79	8
110307800	7,8	41	79	8
110307900	7,9	41	79	8
110307940	7,94	41	79	8
110308000	8	41	79	8
110308100	8,1	47	89	10
110308200	8,2	47	89	10
110308300	8,3	47	89	10
110308330	8,33	47	89	10
110308400	8,4	47	89	10
110308500	8,5	47	89	10
110308600	8,6	47	89	10
110308700	8,7	47	89	10

Perçage | Carbure monobloc



3xD

HYP-AL-3D

Perçage | Carbure monobloc | 3xD



- Foret carbure monobloc sans revêtement
- Jusqu'à 3xD
- Pour les aluminium set fontes d'aluminiums
- 137 dimensions





EDP	DC	LCF	OAL	DCON	EDP	DC	LCF	OAL	DCON
110308730	8,73	47	89	10					
110308800	8,8	47	89	10					
110308900	8,9	47	89	10					
110309000	9	47	89	10					
110309100	9,1	47	89	10					
110309130	9,13	47	89	10					
110309200	9,2	47	89	10					
110309300	9,3	47	89	10					
110309400	9,4	47	89	10					
110309500	9,5	47	89	10					
110309520	9,52	47	89	10					
110309600	9,6	47	89	10					
110309700	9,7	47	89	10					
110309800	9,8	47	89	10					
110309900	9,9	47	89	10					
110309920	9,92	47	89	10					
110310000	10	47	89	10					
110310100	10,1	55	102	12					
110310200	10,2	55	102	12					
110310300	10,3	55	102	12					
110310320	10,32	55	102	12					
110310400	10,4	55	102	12					
110310500	10,5	55	102	12					
110310600	10,6	55	102	12					
110310700	10,7	55	102	12					
110310720	10,72	55	102	12					
110310800	10,8	55	102	12					
110310900	10,9	55	102	12					
110311000	11	55	102	12					
110311100	11,1	55	102	12					
110311110	11,11	55	102	12					
110311200	11,2	55	102	12					
110311300	11,3	55	102	12					
110311400	11,4	55	102	12					
110311500	11,5	55	102	12					
110311510	11,51	55	102	12					
110311600	11,6	55	102	12					
110311700	11,7	55	102	12					
110311800	11,8	55	102	12					
110311900	11,9	55	102	12					
110311910	11,91	55	102	12					
110312000	12	55	102	12					
110312300	12,3	60	107	14					
110312500	12,5	60	107	14					
110312700	12,7	60	107	14					

Perçage | Carbure monobloc
3xD

HYP-ALO-5D

Perçage | Carbure monobloc | 5xD



- Foret carbure avec arrosage centre, sans revêtement
- Jusqu'à 5xD
- Pour les aluminium set fontes d'aluminiums
- 119 dimensions



EDP	DC	LCF	OAL	DCON
111503000	3	28	66	6
111503100	3,1	28	66	6
111503170	3,17	28	66	6
111503200	3,2	28	66	6
111503300	3,3	28	66	6
111503400	3,4	28	66	6
111503500	3,5	28	66	6
111503570	3,57	28	66	6
111503600	3,6	28	66	6
111503700	3,7	28	66	6
111503800	3,8	36	74	6
111503900	3,9	36	74	6
111503970	3,97	36	74	6
111504000	4	36	74	6
111504100	4,1	36	74	6
111504200	4,2	36	74	6
111504300	4,3	36	74	6
111504370	4,37	36	74	6
111504400	4,4	36	74	6
111504500	4,5	36	74	6
111504600	4,6	36	74	6
111504650	4,65	36	74	6
111504700	4,7	36	74	6
111504760	4,76	44	82	6
111504800	4,8	44	82	6
111504900	4,9	44	82	6
111505000	5	44	82	6
111505100	5,1	44	82	6
111505160	5,16	44	82	6
111505200	5,2	44	82	6
111505300	5,3	44	82	6
111505400	5,4	44	82	6
111505500	5,5	44	82	6
111505550	5,55	44	82	6
111505560	5,56	44	82	6
111505600	5,6	44	82	6
111505700	5,7	44	82	6
111505800	5,8	44	82	6
111505900	5,9	44	82	6
111505950	5,95	44	82	6
111506000	6	44	82	6
111506100	6,1	53	91	8
111506200	6,2	53	91	8
111506300	6,3	53	91	8
111506350	6,35	53	91	8
111506400	6,4	53	91	8


EDP	DC	LCF	OAL	DCON
111506500	6,5	53	91	8
111506600	6,6	53	91	8
111506700	6,7	53	91	8
111506750	6,75	53	91	8
111506800	6,8	53	91	8
111506900	6,9	53	91	8
111507000	7	53	91	8
111507100	7,1	53	91	8
111507140	7,14	53	91	8
111507200	7,2	53	91	8
111507300	7,3	53	91	8
111507400	7,4	53	91	8
111507500	7,5	53	91	8
111507540	7,54	53	91	8
111507600	7,6	53	91	8
111507700	7,7	53	91	8
111507800	7,8	53	91	8
111507900	7,9	53	91	8
111507940	7,94	53	91	8
111508000	8	53	91	8
111508100	8,1	61	103	10
111508200	8,2	61	103	10
111508300	8,3	61	103	10
111508330	8,33	61	103	10
111508400	8,4	61	103	10
111508500	8,5	61	103	10
111508600	8,6	61	103	10
111508700	8,7	61	103	10
111508730	8,73	61	103	10
111508800	8,8	61	103	10
111508900	8,9	61	103	10
111509000	9	61	103	10
111509100	9,1	61	103	10
111509130	9,13	61	103	10
111509200	9,2	61	103	10
111509300	9,3	61	103	10
111509400	9,4	61	103	10
111509500	9,5	61	103	10
111509520	9,52	61	103	10
111509600	9,6	61	103	10
111509700	9,7	61	103	10
111509800	9,8	61	103	10
111509900	9,9	61	103	10
111509920	9,92	61	103	10
111510000	10	61	103	10
111510100	10,1	71	118	12

Perçage | Carbure monobloc

5xD



Perçage | Carbure monobloc | 5xD



-

[illegible]

CONDITIONS DE COUPE

Perçage | Carbure monobloc | Conditions de coupe

HYP-AL-3D

	Fonte d'aluminium		Aluminium		Alliage de cuivre		Alliage de magnésium	
Vc	80 ~ 200 m/min		80 ~ 150 m/min		40 ~ 100 m/min		60 ~ 100 m/min	
Ø	S (min ⁻¹)	F (mm/rev)	S (min ⁻¹)	F (mm/rev)	S (min ⁻¹)	F (mm/rev)	S (min ⁻¹)	F (mm/rev)
1	25000	0,02 ~ 0,08	25000	0,02 ~ 0,05	22300	0,008 ~ 0,02	25000	0,02 ~ 0,05
2	22300	0,04 ~ 0,16	18300	0,04 ~ 0,10	11100	0,016 ~ 0,04	12700	0,04 ~ 0,10
3	14900	0,06 ~ 0,24	12200	0,06 ~ 0,15	7400	0,024 ~ 0,06	8500	0,06 ~ 0,15
4	11100	0,08 ~ 0,32	9200	0,08 ~ 0,20	5600	0,032 ~ 0,08	6400	0,08 ~ 0,20
6	7400	0,12 ~ 0,48	6100	0,12 ~ 0,30	3700	0,048 ~ 0,12	4200	0,12 ~ 0,30
8	5600	0,16 ~ 0,64	4600	0,16 ~ 0,40	2800	0,064 ~ 0,16	3200	0,16 ~ 0,40
10	4500	0,20 ~ 0,80	3700	0,20 ~ 0,50	2200	0,080 ~ 0,20	2500	0,20 ~ 0,50
12	3700	0,24 ~ 0,96	3100	0,24 ~ 0,60	1900	0,096 ~ 0,24	2100	0,24 ~ 0,60

HYP-ALO-5D

	Fonte d'aluminium		Aluminium		Alliage de cuivre		Alliage de magnésium	
Vc	120 ~ 250 m/min		80 ~ 200 m/min		40 ~ 120 m/min		60 ~ 130 m/min	
Ø	S (min ⁻¹)	F (mm/rev)	S (min ⁻¹)	F (mm/rev)	S (min ⁻¹)	F (mm/rev)	S (min ⁻¹)	F (mm/rev)
1	25000	0,02 ~ 0,08	25000	0,02 ~ 0,05	25000	0,008 ~ 0,02	25000	0,02 ~ 0,05
2	29500	0,04 ~ 0,16	22300	0,04 ~ 0,10	12700	0,016 ~ 0,04	15100	0,04 ~ 0,10
3	19600	0,06 ~ 0,24	14900	0,06 ~ 0,15	8500	0,024 ~ 0,06	10100	0,06 ~ 0,15
4	14700	0,08 ~ 0,32	11100	0,08 ~ 0,20	6400	0,032 ~ 0,08	7600	0,08 ~ 0,20
6	9800	0,12 ~ 0,48	7400	0,12 ~ 0,30	4200	0,048 ~ 0,12	5000	0,12 ~ 0,30
8	7400	0,16 ~ 0,64	5600	0,16 ~ 0,40	3200	0,064 ~ 0,16	3800	0,16 ~ 0,40
10	5900	0,20 ~ 0,80	4500	0,20 ~ 0,50	2500	0,080 ~ 0,20	3000	0,20 ~ 0,50
12	4900	0,24 ~ 0,96	3700	0,24 ~ 0,60	2100	0,096 ~ 0,24	2500	0,24 ~ 0,60





shaping your dreams

OSG EUROPE LOGISTICS

Avenue Lavoisier 1
B-1300 Z.I. Wavre - Nord - Belgium
Tel: +32 10 23 05 07
Fax: +32 10 23 05 51
info@osgeurope.com

OSG BELUX

Avenue Lavoisier 1
B-1300 Z.I. Wavre - Nord - Belgium
Tel: +32 10 23 05 11
Fax: +32 10 23 05 31
info@osg-belgium.com

OSG FRANCE

Parc Icade, Paris Nord 2
Immeuble "Le Rimbaud"
22 Avenue des Nations
CS66191 - 93420 Villepinte - France
Tel: +33 1 49 90 10 10
Fax: +33 1 49 90 10 15
sales@osg-france.com

OSG NETHERLANDS

Bedrijfsweg 5 - 3481 MG Harmelen
Tel: +31 348 44 2764
Fax: +31 348 44 2144
info@osg-nl.com

OSG UK

Kelsey Close, Attleborough Fields Ind Est,
CV11 6RS, Nuneaton, United Kingdom.
Tel: +44 1827 720 013
uk_sales@osg-uk.com

CZECH, SLOVAKIA, HUNGARY

OSG Europe Logistics S.A.
Slovakia organizacna zlozka
Racianská 22/A, SK-83102 Bratislava
Slovakia
Tel. +421 24 32 91 295
Orders-osgsvk@osgeurope.com

OSG POLAND Sp. z o.o.

Spółdzielcza 57
05-074 Halinów - Poland
Tel: +22 760 82 71
Fax: +22 760 82 71
osg@osg-poland.com

OSG GERMANY

Karl-Ehmann-Str. 25
D - 73037 Göppingen - Germany
Tel: +49 7161 6064 - 0
Fax: +49 7161 6064 - 444
info@osg-germany.de

OSG SCANDINAVIA

(For Scandinavian countries)
Langebjergvaenget 16
4000 Roskilde - Denmark
Tel: +45 46 75 65 55
Fax: +45 46 75 67 00
osg@osg-scandinavia.com

SWEDEN

Branch office of OSG SCANDINAVIA
Singelgatan 7
212 28 Malmö - Sweden
Tel: +46 40 41 22 55
osg@osg-scandinavia.com

OSG IBERICA

Bekolarra 4
E - 01010 Vitoria-Gasteiz - Spain
Tel: +34 945 242 400
Fax: +34 945 228 883
osg.iberica@osg-ib.com

OSG TURKEY

Rami Kışla Cad.No:56 Eyüp
Istanbul 34056 - Turkey
Tel+90 212 565 24 00
Fax: +90 212 565 44 00
info@osg-turkey.com

ROMSAN INTERNATIONAL CO. SRL

Reprezentant Exclusiv OSG
25C, Bucuresti-Magurele Street
051431 Bucuresti - România
Tel: +40 21 322 07 47
Fax: +40 21 321 56 00
romsan.int@romsan.ro

AUSTRIA

Branch office of OSG GERMANY
Messestraße 11
A-6850 Dornbirn
Tel: +49 7161 6064-0
Fax: +49 7161 6064-444
info@osg-germany.de

OSG ITALIA

Via Ferrero, 65 A/B3
I - 10098 Rivoli - Italy
Tel: +39 0117705211
Fax: +39 0117705215
info@osg-italia.it

Vischer & Bolli AG

Machining and Workholding
Im Schossacher 17
CH-8600 Dübendorf
T +41 44 802 15 15
F +41 44 802 15 95
info@vb-tools.com

OSG EUROPE LOGISTICS S.A.

02/2024 - All rights reserved. © OSG Europe 2024

The contents of this catalogue are provided to you for viewing only. They are not intended for reproduction either in part or in whole in this or other medium. They cannot be copied, used to create derivation work or used for any reason, by means without the express, written permission of the copyright owner. If prices are stated, they are netto unit-prices and any eventual tax(es) have to be added. The company is not responsible for any printing error in technical, price and/or any other data.

Tool specifications subject to change without notice.

www.osgeurope.com